



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Imperial	1.5 cu yd	2.0 cu yd	3.0 cu yd	4.5 cu yd	4.5 cu yd	6.0 cu yd
Body Side Length	7'	8'	9'	9'	10'	10'
Capacity	1.5 cu yd	2.0 cu yd	3.0 cu yd	4.5 cu yd	4.5 cu yd	6.0 cu yd
Hopper Construction	16 ga SS	16 ga SS	16 ga SS	16 ga SS	16 ga SS	16 ga SS
Hopper Dimensions (LxWxH)	84" x 50" x 33 1/4"	96" x 50" x 33 1/4"	108" x 50" x 40 3/4"	108" x 70" x 45"	119" x 70" x 45"	119" x 70" x 52 1/2"
Dimensions Overall (LxWxH)	105" x 50" x 51"	117" x 50" x 51"	129" x 50" x 70 1/2"	129" x 70" x 74 3/4"	141" x 70" x 74 3/4"	141" x 70" x 82 1/4"
Min. Bed Length	62 1/2"	74 1/2"	91"	91"	102"	102"
Approx. Weight (Empty) Dual 12V DC Sealed Motors	595 lb	615 lb	695 lb	815 lb	--	--
Approx. Weight (Empty) Gas 10.5 hp I/C Briggs & Stratton®	--	740 lb	820 lb	940 lb	965 lb	1,010 lb
Approx. Weight (Empty) Gas 11 hp I/C Honda®	--	740 lb	820 lb	940 lb	965 lb	1,010 lb
Approx. Weight (Empty) Dual Hydraulic Motors	--	615 lb	695 lb	815 lb	840 lb	885 lb
Conveyor Width	15 1/2"	15 1/2"	15 1/2"	15 1/2"	15 1/2"	15 1/2"
Spinner Size	15 1/2"	15 1/2"	15 1/2"	15 1/2"	15 1/2"	15 1/2"
Spreading Width	Up to 40'	Up to 40'	Up to 40'	Up to 40'	Up to 40'	Up to 40'
Materials	Salt, Sand, Salt/Sand Mix	Salt, Sand, Salt/Sand Mix	Salt, Sand, Salt/Sand Mix	Salt, Sand, Salt/Sand Mix	Salt, Sand, Salt/Sand Mix	Salt, Sand, Salt/Sand Mix
Vehicle Application	3/4- & 1-Ton Pickup Trucks	3/4- & 1-Ton Pickup Trucks	Dump Body or Flatbed Trucks (Over 15,000 lb GVWR)	Dump Body or Flatbed Trucks (Over 15,000 lb GVWR)	Dump Body or Flatbed Trucks (Over 15,000 lb GVWR)	Dump Body or Flatbed Trucks (Over 15,000 lb GVWR)

Metric	1.5 cu yd	2.0 cu yd	3.0 cu yd	4.5 cu yd	4.5 cu yd	6.0 cu yd
Body Side Length	2.13 m	2.44 m	2.74 m	2.74 m	3.05 m	3.05 m
Capacity	1.15 cu m	1.53 cu m	2.29 cu m	3.44 cu m	3.44 cu m	4.59 cu m
Hopper Construction	1.5 mm SS	1.5 mm SS	1.5 mm SS	1.5 mm SS	1.5 mm SS	1.5 mm SS
Hopper Dimensions (LxWxH)	213.4 cm x 127 cm x 84.5 cm	243.8 cm x 127 cm x 84.5 cm	274.3 cm x 127 cm x 103.5 cm	274.3 cm x 177.8 cm x 114.3 cm	302.3 cm x 177.8 cm x 114.3 cm	302.3 cm x 177.8 cm x 133.4 cm
Dimensions						



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Overall (LxWxH)

266.7 cm x 127



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

cm x 129.5 cm

297.2 cm x 127



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

cm x 129.5 cm

327.7 cm x 127



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

cm x 179.1 cm

327.7 cm x 177.8



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

cm x 189.9 cm

358.1 cm x 177.8



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

cm x 189.9 cm


358.1 cm x 177.8



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

cm x 208.9 cm





STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Min. Bed Length



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications


158.8 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

189.2 cm





STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

231.1 cm





STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

231.1 cm





STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

259.1 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

259.1 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Approx. Weight
(Empty) Dual
12V DC Sealed
Motors



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

269.89 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

278.96 kg





STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

315.25 kg





STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

369.68 kg





STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

--





STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

--



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Approx. Weight
(Empty) Gas 10.5
hp I/C Briggs &
Stratton®



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

--



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

335.66 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

371.95 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

426.38 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

437.72 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

458.13 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Approx. Weight
(Empty) Gas 11
hp I/C Honda®



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

--



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

335.66 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

371.95 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

426.38 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

437.72 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

458.13 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Approx. Weight
(Empty) Dual
Hydraulic Motors



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

--



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

278.96 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

315.25 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

369.68 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

381.02 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

401.43 kg



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Conveyor Width



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Spinner Size



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

40 cm



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Spreading Width



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Up to 12.19 m



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Up to 12.19 m



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Up to 12.19 m



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Up to 12.19 m



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Up to 12.19 m



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Up to 12.19 m



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Materials



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Salt, Sand,
Salt/Sand Mix



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Salt, Sand,
Salt/Sand Mix



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Salt, Sand,
Salt/Sand Mix



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Salt, Sand,
Salt/Sand Mix



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Salt, Sand,
Salt/Sand Mix



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Salt, Sand,
Salt/Sand Mix



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Vehicle

Application



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

3/4- & 1-Ton
Pickup Trucks



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

3/4- & 1-Ton
Pickup Trucks



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Dump Body or
Flatbed Trucks
(Over 15,000 lb
GVWR)



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Dump Body or
Flatbed Trucks
(Over 15,000 lb
GVWR)



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Dump Body or
Flatbed Trucks
(Over 15,000 lb
GVWR)



STEEL-CASTER(TM) (1.5 ? 6.0 cu yd) Specifications

Technical Specifications

Dump Body or
Flatbed Trucks
(Over 15,000 lb
GVWR)